

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18




Figure 19

Memory Location	Definition
Synchronous Type 31	
128	Hour reset pulse length minimum (0.25 sec resolution).
127	Hour reset pulse length maximum (0.25 sec resolution).
126	Hour reset minute position (0 through 59)
125	Hour reset lockout duration (minutes)
124	12-hour reset pulse length minimum (0.25 sec resolution)
123	12-hour reset pulse length maximum (0.25 sec resolution)
122	12-hour reset hour position (1 through 12)
121	12-hour reset minute position (0 through 59)
120	12-hour reset lockout duration (minutes)
Impulse Type 30	
110	Hour Positive Polarity lockout minute (0 through 59)
109	Hour Lockout duration (minutes)
108	Pulse duration minimum (10ths of sec)
107	Pulse duration maximum (10ths of sec)
106	12-hour Positive polarity lockout minute (0 through 59)
105	12-hour Positive polarity lockout hour (1 through 12)
104	12-hour lockout duration (minutes)

Figure 20